





## FAN

### TECHNICAL CHARACTERISTICS



a	Seat width
p	Seat depth
h	Seat height
Ta/Tr/Tc	Fabric seat/back/frame
d	Packing dimensions
<b>A</b>	Total width
<b>P</b>	Total depth
<b>H</b>	Total height
Pa/Pr/Pc	Leather seat/back/frame



a	80	A	100
p	55	P	83
h	40	H	75
Kg	23	d	
Ta	1,15	Tr	0,85
Tc	2,50		
Pa	1,55	Pr	0,90
Pc	3,40		

a	160	A	180
p	55	P	83
h	40	H	75
Kg	38	d	
Ta	2,20	Tr	1,80
Tc	4,50		
Pa	3,50	Pr	2,25
Pc	5,45		

a	220	A	240
p	55	P	83
h	40	H	75
Kg	50	d	
Ta	3,00	Tr	2,30
Tc	5,00		
Pa	5,10	Pr	3,15
Pc	6,85		



## FAN

### DESCRIPTION

#### FRAME

Wooden frame made of reinforced Scots pine wood. Exterior surfaces in 3-mm thick hardboard covered with 60-kg/m<sup>3</sup> foam. Fabric cover to order. High-quality elastic webbing suspension.

Metal legs made of 50x10-mm bars, painted black.

#### SEAT PADDING

Seat padding made of AL35 foam reinforced with 60-kg/m<sup>3</sup> foam and covered with 150-g/m<sup>2</sup> wadding. Fabric cover to order. Removable, with zip.

#### BACK PADDING

Back padding made of ZMB25 foam reinforced with 60-kg/m<sup>3</sup> foam and covered with 150-g/m<sup>2</sup> wadding. Fabric cover to order. Removable, with zip.



1 seater



2-seater




3-seater

## FAN


### RANGE

#### 1 SEATER

---



A



F




H


A 1000  
F 830  
H 750

#### 2-SEATER

---



A



F




H


A 1800  
F 830  
H 750

#### 3-SEATER

---



A



F



H

A 2400  
F 830  
H 750