




CONIC DESK


Its angled leg is the hallmark of the Conic desk. Through their lightweight design, the legs accompany the organic shapes of the work top to give a homogeneous visual aesthetic to the entire assembly. The high quality with which the joints are solved make this programme a first-class solution for the work environment.



OPTIONAL FEATURES


MODESTY PANEL

- 0.8-mm thick steel
- 16-mm thick melamine



TYPE B MODESTY PANEL

- 0.8-mm thick steel



TECHNICAL SHEET




OPTIONAL FEATURES

TRAY

- 0.8-mm thick metal

For flip-open cover or cable grommet.
As individual desk or return.



ABS side covers in white (BA) with white (BA) structure.
In black (NE) for other structure colours.


CABLE MANAGEMENT CHANNEL

- Single, hinged



Individual desk	X= 542
Middle desk	X= 142
Start/end desk	X= 342


- Single, fixed



Individual desk	X= 600
Middle desk	X= 200
Start/end desk	X= 400

ABS side covers in white (BA) with white (BA) structure.
In black (NE) for other structure colours.

- Double with 2 height positions



Individual desk	X= 668
Middle desk	X= 268
Start/end desk	X= 468

ABS side covers in white (BA) with white (BA) structure.
In black (NE) for other structure colours.



CONIC DESK




OPTIONAL FEATURES

CHANNEL ACCESSES

Channel access in white (BA) or black (NE) as per work top* or order**


► Metal flip-open cover **

2-mm perimeter in black (NE)
Built-in sockets option




► Ø60 cable grommet *

White (BA) and black (NE)



► Melamine flip-open cover

2-mm perimeter in black (NE)
Same finish as work top
Built-in sockets option




► Ø60 multi-connection socket **

White (BA) and black (NE)
1 power socket + 1USB A + 1USB C
+ 20 cm cable ending in Wieland connector



* White (BA) access: White (BA) work top • Black (NE) access: Other work tops ** As per order

POSITIONING:




OPTIONAL FEATURES

CABLE RISER

► Mesh to channel


► Jointed to channel




INDIVIDUAL WORK STATION

► Totem to floor


► Access cover on middle leg



Individual



Bench



1-mm thick painted sheet metal

GROUP WORK STATION



CONIC DESK



DESCRIPTION

WORK TOP

Top made of 25-mm thick chipboard bonded with synthetic resins, especially designed for applications that require high bending strength. Average density: 620/595 kg/m³ as per EN 323.

Laminate finish. 2-mm thick ABS edge as per UNE 56.843:01.

Single work top on face-to-face work stations.

The return can be fitted on either the right or left of the main desk.

STRUCTURE




Metal frame built with two 1.5-mm thick 50x30 steel profiles as per UNE-EN 10305.

End legs built with 1.5-mm thick 50x30 upper crossbars as per UNE-EN 10305. The legs to the floor are d-50 cylindrical tubes which taper to d-25 mm.

Metal middle leg on the group work stations built with slanted 1.5-mm thick 50x30 vertical profiles and two 1.5-mm thick 50x30 profiles as per UNE-EN 10305 welded to the leg.

60/80µm epoxy powder in compliance with current reaction to fire standard UNE 23827-90.


Leg levelling: 20 mm



TECHNICAL SHEET




DETAILS



▲ FLIP-OPEN COVER
Metal



▲ FLIP-OPEN COVER
Melamine
Same finish as work top



▲ CHANNEL ACCESS
Ø60 multi-connection
socket



▲ CHANNEL
Double



▲ CHANNEL
Single, fixed



▲ CHANNEL
Single, hinged



▲ MIDDLE LEG



▲ MIDDLE LEG
With access cover



CERTIFICATES

tecnaliacertified
PRODUCTOS CERTIFICADOS DE MOBILIARIO
RT 01 MOBILIARIO - MCF34
UNE-EN 527



RECYCLABILITY RATE






CONIC DESK




RANGE

INDIVIDUAL DESK




F \ W	80	100	120	140	160	180	200
60	●	●	●	●	●	●	●
70	●	●	●	●	●	●	●
80	●	●	●	●	●	●	●
100		●	●	●	●	●	●

DESK IN ROWS




F \ W	80	100	120	140	160	180	200
60	●	●	●	●	●	●	●
70	●	●	●	●	●	●	●
80	●	●	●	●	●	●	●

RETURN




F \ W	80	100	120
60	●	●	●

BENCH




F \ W	120	140	160	180	200
120	●	●	●	●	●
140	●	●	●	●	●
160	●	●	●	●	●

CELL



F \ W	120	135	140
LEFT	●	●	●
RIGHT	●	●	●



KEY
PRICE TERMS
● GENERAL
● EXPRESS