



VIRA MEETINGS


With its slanted wooden or metal legs as its hallmark and harmonious finishes, the friendly shapes of this work table follow the aesthetic of the current market.



OPTIONAL FEATURES

CABLE MANAGEMENT CHANNEL

- Modular table channel with 2 height positions




Middle table X= 268
Start/end table X= 468

ABS side covers in white (BA) with white (BA) structure.
In black (NE) for other structure colours.

TRAY

- 0.8-mm thick metal Independent table tray



Side flip-open cover X= 334
400 flip-open cover X= 509
800 flip-open cover X= 909

ABS side covers in white (BA) with white (BA) structure.
In black (NE) for other structure colours.


TECHNICAL SHEET




OPTIONAL FEATURES

CHANNEL ACCESSES


- Side flip-open cover *
Metal or same finish as work top
2-mm perimeter in black (NE)
Built-in sockets option



- Ø60 cable grommet *
White (BA) and black (NE)



- Central flip-open cover (opens on two sides) **
Metal or same finish as work top
2-mm perimeter in black (NE)




- Ø60 multi-connection socket **
White (BA) and black (NE)
1 power socket + 1USB A + 1USB C
+ 20 cm cable ending in Wieland connector



* White (BA) access: White (BA) work top • Black (NE) access: Other work tops

** As per order

Positioning:



CABLE RISER


- Mesh




- Jointed



- Totem



- Access cover on middle leg



1-mm thick painted sheet metal



VIRA MEETINGS



DESCRIPTION

WORK TOP

Top made of 25-mm thick chipboard bonded with synthetic resins, especially designed for applications that require high bending strength. Average density: 620/595 kg/m³ as per EN 323.

- ▶ Laminate finish. 2-mm thick ABS edge as per UNE 56.843:01.
- ▶ Finished on top with 0.7-mm thick anti-fingerprint HPL as per the indications of UNE 53173-92 and underneath with balancing sheet (BM80). 2-mm thick ABS edge as per UNE 56.843:01.
- ▶ Finished in wood treated with high-resistance varnish. 2-mm thick wood edge.

STRUCTURE



Metal frame built with two 1.5-mm thick 50x30 steel profiles as per UNE-EN 10305.

End legs built with 1.5-mm thick 50x30 steel upper crossbars as per UNE-EN 10305 and legs to the floor. Option: 1.5-mm thick shaped sheet metal or in oak veneered beech wood. Option: castor with brake d-65 mm.

Metal middle leg on the group work stations built with slanted 1.5-mm thick 50x30 vertical profiles and two 1.5-mm thick 50x30 profiles as per UNE-EN 10305 welded to the leg.

60/80µm epoxy powder in compliance with current reaction to fire standard UNE 23827-90.


Leg levelling: 20 mm



TECHNICAL SHEET



DETAILS



▲ FLIP-OPEN COVER
Side



▲ FLIP-OPEN COVER
Central (opens on two sides)



▲ CHANNEL ACCESS
Ø60 multi-connection socket



▲ CHANNEL



▲ TRAY



▲ MIDDLE LEG
With access cover



CERTIFICATES

tecnaliacertified
PRODUCTOS CERTIFICADOS DE MOBILIARIO
RT.01 MOBILIARIO - MCF34
UNE-EN 527






VIRA MEETINGS

TECHNICAL SHEET




RANGE

INDEPENDENT TABLE




W F	100	120	140	160	180	200	220	240
80	● ▲ ■	● ▲ ■	● ▲ ■	● ▲ ■	● ▲ ■	● ▲ ■		
90	●	●	●	●	●	●		
100	●	●	●	●	●	●	●	
120		● ▲ ■	● ▲ ■	● ▲ ■	● ▲ ■	● ▲ ■	● ▲ ■	● ▲ ■
140			●	●	●	●	●	●
160				● ▲ ■	● ▲ ■	● ▲ ■	● ▲ ■	● ▲ ■

ROUND TABLE




W F	100	120	140	160
100	●			
120		●		
140			●	
160				●

TRIANGULAR TABLE




W F	120	140	160
120	●		
140		●	
160			●

MODULAR TABLE



W F	120	140	160	180	200	220	240
120	●	●	●	●	●	●	●
140		●	●	●	●	●	●
160			●	●	●	●	●

TRAPEZOIDAL TABLE



W F	120	140	160	180	200	220	240
120	● ▲	● ▲	● ▲	● ▲	● ▲	● ▲	● ▲
140		● ▲	● ▲	● ▲	● ▲	● ▲	● ▲
160			● ▲	● ▲	● ▲	● ▲	● ▲

KEY

PRICE TERMS

- GENERAL
- EXPRESS


AVAILABLE OPTIONS

- With castors (metal leg only)
- ▲ h=90/105




RANGE

BARREL TABLE




	W	180	200	220	240
F					
120		●	●	●	●
140		●	●	●	●
160		●	●	●	●

THREE-SIDED TABLE




W	160
F	
160	●

FOUR-SIDED TABLE




W	160
F	
160	●

FIVE-SIDED TABLE




W	160
F	
160	●

SIX-SIDED TABLE




W	200	240
F		
120	●	●

ELLIPTICAL TABLE



	W	180	200	220	240
F					
120		●	●	●	●
140		●	●	●	●
160		●	●	●	●


T2 TRAPEZOIDAL TABLE



V Barrel double


W	160	200	240
F			
120	●	●	●
160	●	●	●

T2 DOUBLE TRAPEZOIDAL TABLE



W	320	400	480
F			
120	●	●	●

DOUBLE BARREL TABLE



W	320	400	480
F			
120	●	●	●
140	●	●	●
160	●	●	●

KEY

PRICE TERMS

- GENERAL
- EXPRESS

AVAILABLE OPTIONS

- With castors (metal leg only)
- ▲ h=90/105