



DOLMEN EXECUTIVE - MANAGERIAL

Innovative product concepts featuring a cohesive design language defined by soft silhouettes and warm finishes. Subtle metallic accents across the entire range allow for either a harmonious match or a bold contrast within a wide spectrum of colours.

EXECUTIVE

60 mm thick top



Wooden petal leg

MANAGERIAL

30 mm thick top



Wooden/metallic petal leg



OPTIONAL FEATURES

MODESTY PANEL

Available in:

- Wood, e-17mm.
- Anti-fingerprint HPL, e-17mm.
- Melamine, e-17mm.

WOOD / ANTI-FINGERPRINT HPL



Birch plywood core with varnished edges.

Fixed with a double 3 mm steel sheet bracket and anchored to the desktop with two M6 screws.

MELAMINE

Chipboard core with melamine finish and ABS edges.

Fixed with a double 3 mm steel sheet bracket and anchored to the desktop with two M6 screws.



Desk 180x80 X= 1200
Desk 200x80/200x100/220x120 X= 1350
Desk 220x100/240x120 X= 1500

TECHNICAL SHEET




OPTIONAL FEATURES - MANAGERIAL ONLY

TRAY

For flip-top covers or cable ports


- Metal sheet e= 0,8 mm




ABS side covers in BA finish for BA structures. In NE finish for all other structure colours. Fixed to the desktop with Ø6.3x16 Euro-screws (top is pre-drilled).

TRAY ACCESS

- Ø 60 Cable port *
- Black finish (NE)




- Ø 60 Multi-connection socket




Black finish (NE)
1F + 1USB A y C + 20 cm cable with Wieland connector
1F + 1USB C y C + 20 cm cable with Wieland connector

- Matching wood-finish flip-top cover
- 2F + Cut-out
- 2 F + USB A y C



- Multi-connection box with cover


Black finish (NE)
2F + Cut-out + 1 USB A y C
2F + Cut-out + 1 USB C y C



- Multi-connection socket + cable port




- Multi-connection box + cable port



CABLE RISER

- Mesh
- Jointed





DOLMEN EXECUTIVE - MANAGERIAL



DESCRIPTION

Freestanding desks or cabinet-supported desks.

DESKTOP

Lightweight board with a birch core: 60 mm thick for Executive desks and 30 mm thick for Managerial desks.

The desktop is equipped with M8 metal inserts for leg attachment and M6 metal inserts for the modesty panel.

Wood finish: 0.5 mm wood veneer with a high-resistance varnished treatment on both top and bottom faces, and 2 mm thick varnished wood edges.

HPL/Linoleum finish: 0.7 mm anti-fingerprint HPL or 2 mm linoleum on the top face, with black HPL on the bottom face, and 2 mm thick varnished wood edges.

LEGS

► **Wooden petal-shaped legs:** MDF core with an outer layer of oak wood. Varnished finish. Leg thickness: 14 mm.



Each leg features a 4 mm steel sheet top plate. This plate is secured to the leg via a three-bolt M6 nut-and-screw system and fixed to the desktop with four M8 screws.

Plastic glides with felt pads.


One of the two legs can be rotated if the desk is supported on one side, provided it is not on the electrification side (see technical drawing). *

► **Metallic petal-shaped legs (Managerial desks only):** Solo para mesas de media dirección.


Welded assembly consisting of 2.5 mm formed sheet metal uprights. Top rib (4 mm thick) for anchoring to the desktop with four M8 screws per leg, and bottom rib (4 mm thick) housing M8 levelling feet with a 10 mm adjustment range.




* Detail: Rotated leg for side support.



EXECUTIVE



MANAGERIAL



F= 800 X= 175
F= 1000/1200 X= 200

W= 1800 Y= 598
W= 2100 Y= 698
W= 2400 Y= 798

Cabinet-supported desk



DOLMEN EXECUTIVE - MANAGERIAL

TECHNICAL SHEET



DETAILS



▲ Ø 60 CABLE PORT




▲ BASE MULTICONEXIÓN
Ø 60




▲ MULTI-CONNECTION
BOX




▲ MATCHING WOOD-
FINISH FLIP-TOP COVER



F= 800	X= 200
F= 1000	X= 230
F= 1200	X= 290



F= 800	X= 229
F= 1000	X= 259
F= 1200	X= 319



F= 800	X= 200
F= 1000	X= 190
F= 1200	X= 250




▲ Ø 60 MULTI-CONNECTION
SOCKET+ CABLE PORT




▲ MULTI-CONNECTION
BOX + CABLE PORT

F= 800	X= 229
F= 1000	X= 259
F= 1200	X= 319



F= 800	X= 200
F= 1000	X= 230
F= 1200	X= 290



RECYCLABILITY RATE



MODELS

	% RECYCLED	% RECYCLABLE
Executive 2000 X 1000	3,4	99,9
Managerial (Wooden leg) 2000 X 1000	4,1	99,9
Managerial (Metal leg) 2000 X 1000	37	99,9
Operational (Tube leg) 1600 X 800	41,9	99,9
Operational (Metal petal leg) 1600 X 800	54,5	99,9




DOLMEN EXECUTIVE - MANAGERIAL

TECHNICAL SHEET




RANGE

FREESTANDING EXECUTIVE DESK




	W	180	200	220	240
F					
80		●	●		
100			●	●	
120				●	●

CABINET-SUPPORTED EXECUTIVE DESK




	W	180	200	220	240
F					
80		●	●		
100			●	●	
120				●	●

FREESTANDING MANAGERIAL DESK



	W	180	200	220	240
F					
80		●	●		
100			●	●	
120				●	●

CABINET-SUPPORTED MANAGERIAL DESK



	W	180	200	220	240
F					
80		●	●		
100			●	●	
120				●	●