




TEC DESK


If you're looking for furniture with endless configuration options and diversity in its solutions for workspaces, that is the Tec programme. A highly adaptable open system that seeks to respond to layouts which favour communication, personal attention and the exchange of ideas between the members of the group.



OPTIONAL FEATURES


MODESTY PANEL

- 0.8-mm thick steel
- 16-mm thick melamine



TYPE B MODESTY PANEL

- 0.8-mm thick steel




TECHNICAL SHEET



OPTIONAL FEATURES

TRAY

- 0.8-mm thick metal
- For flip-open cover or cable grommet.
- As individual desk or return.




ABS side covers in white (BA) with white (BA) structure.
In black (NE) for other structure colours.

CABLE MANAGEMENT CHANNEL

- Single, hinged




- Single, fixed



ABS side covers in white (BA) with white (BA) structure.
In black (NE) for other structure colours.

- Double with 2 height positions



ABS side covers in white (BA) with white (BA) structure.
In black (NE) for other structure colours.



**TEC
DESK**




OPTIONAL FEATURES


CHANNEL ACCESSES

Channel access in white (BA) or black (NE) as per work top* or order**


- Polyamide flip-open cover *
White (BA) and black (NE)



- Ø80 cable grommet *
White (BA) and black (NE)



- Metal flip-open cover **
2-mm perimeter in black (NE)
Built-in sockets option




- Ø80 multi-connection socket **
White (BA) and black (NE)
1 power socket + 1 USB C
+ 20 cm cable ending in
Wieland connector



* White (BA) access: White (BA) work top • Black (NE) access: Other work tops ** As per order

POSITIONING:




TECHNICAL SHEET



OPTIONAL FEATURES

CABLE RISER


- Magnetically attached
to leg



- Jointed to channel




- Mesh to channel




INDIVIDUAL WORK STATION

- Totem to floor




- Access cover on middle leg

Individual



Bench



1-mm thick painted sheet metal

GROUP WORK STATION



TEC DESK



DESCRIPTION

WORK TOP

Top made of 25-mm thick chipboard bonded with synthetic resins, especially designed for applications that require high bending strength. Average density: 620/595 kg/m³ as per EN 323.

Laminate finish. 2-mm thick ABS edge as per UNE 56.843:01.

Single work top on face-to-face work stations.

The return can be fitted on either the right or left of the main desk.

STRUCTURE


Metal frame built with two 1.5-mm thick 50x30 steel profiles as per UNE-EN 10305.

Metal end legs built with 2-mm thick 50x50 profiles as per UNE-EN 10305.

Metal middle leg on the group work stations built with 1.5-mm thick 50x30 vertical profile and two 1.5-mm thick 50x30 profiles as per UNE-EN 10305 welded to the leg.

60/80µm epoxy powder in compliance with current reaction to fire standard UNE 23827-90.


Leg levelling: 20 mm



TECHNICAL SHEET



DETAILS



▲ FLIP-OPEN COVER
Metal



▲ FLIP-OPEN COVER
Polyamide



▲ CHANNEL ACCESS
Ø80 multi-connection
socket



▲ CHANNEL
Double



▲ CHANNEL
Single, fixed



▲ CHANNEL
Single, hinged



▲ MIDDLE LEG



▲ MIDDLE LEG
With access cover



CERTIFICATES

tecnaliacertified
PRODUCTOS CERTIFICADOS DE MOBILIARIO
RT.01 MOBILIARIO - MCF34
UNE-EN 527



RECYCLABILITY RATE






TEC
DESK

TECHNICAL SHEET




RANGE

INDIVIDUAL DESK




	W	80	100	120	140	160	180	200
F								
60		●	●	●	●	●	●	●
70		●	●	●	●	●	●	●
80		●	●	●	●	●	●	●
100			●	●	●	●	●	●

DESK IN ROWS




	W	80	100	120	140	160	180	200
F								
60		●	●	●	●	●	●	●
70		●	●	●	●	●	●	●
80		●	●	●	●	●	●	●

RETURN



	W	80	100	120
F				
60		●	●	●

BENCH



	W	120	140	160	180	200
F						
120		●	●	●	●	●
140		●	●	●	●	●
160		●	●	●	●	●

KEY

PRICE TERMS

- GENERAL
- EXPRESS