

dynamobel

STORAGE WALL
MAINTENANCE AND
CLEANING GUIDE

STORAGE WALL MAINTENANCE AND CLEANING GUIDE

This guide contains the basic information which the customer and/or user needs to know in order to maintain and clean wall storage and achieve greater performance and longer system life.

1. MAINTENANCE

Maintenance of this product is limited to its moving parts (doors and drawers). With use, these elements should be inspected and their fixtures tightened to make sure that they do not come loose. This maintenance work is of a purely aesthetic nature as coming loose does not imply problems of use. Knobs may also come loose and should, therefore, be tightened at the same time. No special tools are required (Philips screwdriver M).

2. THE CLEANING OF PANELS COATED WITH SEMI-RIGID VINYL AND CELLULOSE- OR COTTON-BACKED VINYL

2.1 Getting rid of small stains

Product: Neutral detergent or ammonia.

Instructions of use:

- Dilute a small quantity of the cleaning product in warm water (use just ammonia on stubborn stains).
- Apply the solution onto the stain and surrounding area (without rubbing) with a well-wrung sponge or cloth.
- Rinse with water.
- Dry with synthetic duster.

Note: Consult cleaning product experts for special stains.

2.2 Regular maintenance of large surfaces

The frequency of cleaning depends on the use the installation is subject to. Cotton-backed vinyl coatings should not be cleaned so often.

Follow the steps described above, leaving the surface to dry once cleaned without using a duster.

STORAGE WALL MAINTENANCE AND CLEANING GUIDE

3. THE CLEANING OF WOOD-COATED PANELS

Getting rid of small stains

Product: Wood cleaning product.

Instructions of use:

- Apply the product to the cloth to be used to clean the surface. Never apply the product directly onto the surface as this may produce staining.
- Wipe the surface gently with the damp cloth.
- If product residue remains, wipe with a dry cloth.

4. THE CLEANING OF METAL ELEMENTS WITH POLYESTER OR EPOXY POLYESTER POWDER PAINT

4.1 Getting rid of small stains

Product: Neutral detergent or ammonia.

Instructions of use:

- Dilute a small quantity of the cleaning product in warm water (use just ammonia on stubborn stains).
- Apply the solution onto the stain and surrounding area (without rubbing) with a well-wrung sponge or cloth.
- Rinse with water.
- Dry with synthetic duster.

Note: Consult cleaning product experts for special stains.

4.2 Regular maintenance of large surfaces

The frequency of cleaning depends on the use the installation is subject to. Follow the steps described above, leaving the surface to dry once cleaned without using a duster.

STORAGE WALL MAINTENANCE AND CLEANING GUIDE

5. THE CLEANING OF GLASS ELEMENTS

Getting rid of small stains and regular maintenance

Producto: ammonia.

Instructions of use:

- Dilute a small quantity of the product in warm water.
- Apply the solution to the surface with a damp cloth.
- Leave to dry.

NOTE:

Special glass-cleaning products may be used; follow the manufacturer's instructions. These products should be colourless as they may seep between the glass and the excluder, it then being necessary to demount the module to get rid of the stain.

2005