

VIRA, MANAGEMENT DESK TO PROP ON STORAGE

The Vira management desk propped on a storage module creates a roomy work environment with plenty of storage space. One eye-pleasing characteristic of these storage units is their rounded ends, a detail which lends them a friendly shape, similar to those of the desk in the programme.



FEATURES OF THE STORAGE

- 100 and 120-mm modules which can be used to form linear assemblies with a curved side finish on the ends (+5 cm per side).
- Levellers operated from inside the unit.
- Shelves adjustable every 25 mm.
- The top surface is an additional element depending on the configuration of the linear assembly.
- Knob or push-open finger pull (second option only available on sliding-door module).
- Side knob and guide system with built-in damping on drawers.
- Built-in lock.

FEATURES OF THE TOP SURFACE FOR STORAGE

- 40-mm radius rounded corners.
- Single top surface for 2 modules. In the case of more than 2 modules, the top surface comes in two parts.

OPTIONAL FEATURES FOR THE TOP SURFACE FOR STORAGE

- 275-mm wide, metal flip-up cover, front cable outlet on the sliding-door module.

VIRA, MANAGEMENT DESK TO PROP ON STORAGE

DESCRIPTION OF THE STORAGE

Structure

Assembly screwed together to form a shell. Made of 0.8-mm sheet steel, folded and welded.

Curved side (on end modules)

In 0.8-mm thick sheet steel with two 1.2-mm thick welded reinforcements. Clipped on with tabs and screwed to the sides of the storage module.

Shelf

Made of 0.8-mm sheet steel, folded and welded.

Doors

Available in **metal**: made of 0.8-mm sheet steel, folded and welded.

Also available in **wood** finish: 19 mm thick chipboard with 2-mm edge with a 2-mm radius.


Top surface

25-mm thick chipboard with 2-mm edge with a 2-mm radius per UNE 56.843:01.


Surface finishes:

- Finished on top with 0.7-mm thick **HPL** as per the indications of UNE 53173-92 and underneath with balancing sheet (BM0). 2-mm thick PVC edge as per UNE 56.843:01.
- **Laminated**. 2-mm thick PVC edge as per UNE 56.843:01.
- **Wood** with high-resistance varnish. 2-mm thick wood edge.


The top surfaces are either right-hand or left-hand when they come with built-in cable management, as indicated below:



METAL FLIP-UP COVER




TRAY




The flip-up cover is always fitted on a sliding-door module. Here are examples of two positions on the top surface for two and three 120-cm modules.

TOP SURFACE FOR 3.



TOP SURFACE FOR 2. LEFT-HAND MODULES




VIRA, MANAGEMENT DESK TO PROP ON STORAGE

STORAGE

There are 5 types of storage available for the 100 and 120 widths:

The sliding-door storage used as a prop is always placed beneath the desk and comes with a cable grommet in the base to manage the cables to the propped desk. The tracks are built into the base and top surface. Some of the modules are indicated for use on one side only, right or left.




DESCRIPTION OF THE DESK

Desk

25-mm thick chipboard bonded with synthetic resins and especially designed for applications that require high bending strength.

Average density: 660/635 kg/m³ as per EN 323.

Corner of work top with a radius of 40 mm.



Finished on top with 0.7-mm thick **HPL** as per the indications of UNE 53173-92 and underneath with balancing sheet (BM80). 2-mm thick PVC edge as per UNE 56.843:01.

Or finished in **wood** treated with high-resistance varnish, 2-mm thick wood edge.

Or **laminated** finish. 2-mm thick PVC edge as per UNE 56.843:01.

45° metal leg

The leg is a piece of 1.5-mm thick, formed sheet steel ending in a non-slip leveller to compensate for uneven floors. The crossbar joining the legs measures 50x30x1.5 mm.

45° wooden leg

The leg is a piece of oak-finish wood. The crossbar joining the legs measures 50x30x1.5 mm.

VIRA, MANAGEMENT DESK TO PROP ON STORAGE


RANGE OF STORAGE UNITS



Bear in mind that the measurements of the curved side finishes are not included (5 cm per end).


HINGED DOORS

H 69,5 W 100 F 45
120




SLIDING DOORS

H 69,5 W 100 F 45
120





HINGED DOORS, DRAWER AND SHELF


H 69,5 W 100 F 45
120



Right-hand
module




Left-hand
module





3,3,3 DRAWER UNIT WITH SHELF


H 69,5 W 100 F 45
120



Right-hand
module




Left-hand
module





3,3,6 DRAWER UNIT WITH SHELF


H 69,5 W 100 F 45
120



Right-hand
module



Left-hand
module



VIRA, MANAGEMENT DESK TO PROP ON STORAGE

RANGE OF TOP SURFACES FOR STORAGE UNITS

FOR 100 STORAGE


	W	Top surface
1 storage	110	
2 storages	210	
3 storages	310	

FOR 120 STORAGE


	W	Top surface
1 storage	130	
2 storages	230	
3 storages	330	

Bear in mind that there are left- and right-hand flip-up covers.

RIGHT-HAND TOP SURFACE





LEFT-HAND TOP SURFACE



DESK RANGE

DESK TO PROP ON STORAGE



	W-140	W-160
F-140		
F-160		